

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) An image displaying system, comprising:

a plurality of bio-information acquiring devices including

means for measuring bio-information on each of a plurality of persons under measurement, and

means for ~~sending~~ transmitting the bio-information; and
an image display device including

receiving means for receiving the bio-information on the plurality of persons under measurement, transmitted from each of the plurality of bio-information acquiring devices,

image generating means for generating an image on the basis of relationships among the ~~plurality of bio-information~~ on the plurality of persons under measurement received by the receiving means, and

display means for displaying the generated image,

wherein the plurality of bio-information acquiring devices and the image display device are located in different places and connected to each other via a network.

2. (Previously Presented) The image displaying system according to claim 1, wherein the image generating means generates an image representing conditions of the plurality of persons under measurement.

3. (Previously Presented) The image displaying system according to claim 1, wherein the plurality of bio-information acquiring devices include environmental information

measuring means for quantitatively measuring environmental information of environments around the plurality of persons under measurement; and

the image generating means generates images representing conditions of the plurality of persons under measurement and the environments around the plurality of persons on the basis of the bio-information and the environmental information.

4. (Previously Presented) The image displaying system according to claim 1, wherein the displaying means generates images of pseudo creatures representing a condition of each of the plurality of persons under measurement, and displays the plurality of pseudo creatures simultaneously.

5. (Cancelled)

6. (Previously Presented) The image displaying system according to claim 3, wherein the image generating means generates images reflecting the relation in the environmental information among the plurality of persons under measurement.

7. (Previously Presented) The image displaying system according to claim 1, wherein

the image display device includes touch detecting means for detecting a touch with the displaying means and touch signal sending means for sending a touch signal based on an output from the touch detecting means to one of the plurality of bio-information acquiring devices; and

each of the plurality of bio-information acquiring devices includes a cutaneous-stimulus giving means for giving cutaneous stimulus to one of the plurality of persons under measurement when receiving the touch signal.

8. (Previously Presented) The image displaying system according to claim 7, wherein the cutaneous-stimulus giving means gives stimulus at least by vibration, electric stimulus and friction.

9. (Previously Presented) The image displaying system according to claim 1, wherein

the image display device includes read-out means for reading out information recorded in a recording medium; and

the image generating means generates images representing conditions of the plurality of persons under measurement and environments around the plurality of persons on the basis of bio-information and environmental information read by the read-out means.

10. (Previously Presented) The image displaying system according to claim 1, wherein the image display device includes speech generating means for generating a speech representing conditions of the plurality of persons under measurement on the basis of the bio-information, and speech output means for outputting the speech.

11. (Currently Amended) An image display device connected, via a network, to a plurality of bio-information acquiring devices [[that]] configured to acquire bio-information on each of a plurality of persons under measurement, the image display device comprising:

bio-information receiving means for receiving the bio-information on the plurality of persons under measurement transmitted from each of the plurality of bio-information acquiring devices;

image generating means for generating an image on the basis of relationships among the ~~plurality of bio-information~~ on the plurality of persons under measurement received by the bio-information receiving means; and

displaying means for displaying the generated image.

12. (Previously Presented) The image display device according to claim 11, wherein the plurality of bio-information acquiring devices include an environmental information measuring means for quantitatively measuring environmental information of environments around the plurality of persons under measurement; and

the image generating means generates images representing conditions of the plurality of persons under measurement and the environments around the plurality of persons on the basis of the bio-information and the environmental information.

13. (Previously Presented) The image display device according to claim 11, further comprising read-out means for reading out information recorded in a recording medium,

the image generating means generating images representing conditions of the plurality of persons under measurement and environments around the plurality of persons on the basis of bio-information and environment information pre-recorded in the recording medium.

14. (Previously Presented) The image display device according to claim 11, wherein the image generating means generates images representing conditions of the plurality of persons under measurement; and

the displaying means displays the images representing the conditions of the plurality of persons under measurement simultaneously.

15. (Cancelled)

16. (Previously Presented) The image display device according to claim 12, wherein the image generating means generates images reflecting the relation in the environmental information among the plurality of persons under measurement.

17. (Previously Presented) The image display device according to claim 11, wherein the displaying means includes touch detecting means for detecting a touch with the displaying means, and touch signal sending means for sending a touch signal based on an output from the touch detecting means to one of the plurality of bio-information acquiring devices.

18. (Previously Presented) The image display device according to claim 11, comprising read-out means for reading out information recorded in a recording medium, the image generating means generates images representing conditions of the plurality of persons under measurement and environments around the plurality of persons on the basis of bio-information and environmental information pre-recorded in the recording medium.

19. (Currently Amended) A method of displaying an image, the method comprising the steps of:

receiving, via a network, bio-information on each of a plurality of persons under measurement;

generating an image on the basis of relationships among the ~~plurality of~~ bio-information of the plurality of persons under management received in the receiving ~~[[step]]~~; and

displaying the image generated in the ~~image~~ generating ~~[[step]]~~.

20. (Currently Amended) The method according to claim 19, further comprising: ~~the step of~~

quantitatively measuring environmental information of environments around the plurality of persons under measurement; and

the ~~step of~~ generating the image comprises generating images representing conditions of the plurality of persons under measurement on the basis of the bio-information and the environmental information.

21. (Currently Amended) The method according to claim 19, wherein the ~~step of~~ generating the image comprises generating images representing conditions of the plurality of persons under measurement; and

the ~~step of~~ displaying comprises displaying the images representing the conditions of the plurality of persons under measurement ~~are displayed~~ simultaneously.

22. (Cancelled)

23. (Currently Amended) The method according to claim 21, wherein the ~~step of~~ displaying comprises displaying the images that reflect a relation in environmental information among the plurality of persons under measurement.

24. (Currently Amended) The method according to claim 19, further comprising ~~the~~
~~steps of:~~

detecting a touch with the image; and

giving cutaneous stimulus to one of the plurality of persons under measurement on the
basis of a signal of the touch detected in the ~~touch~~ detecting ~~[[step]]~~.

25. (New) An image displaying system, comprising:

a plurality of bio-information acquiring devices including

a measuring unit configured to measure bio-information on each of a plurality
of persons under measurement, and

a transmission unit configured to transmit the bio-information; and
an image display device including

a receiving unit configured to receive the bio-information on the plurality of
persons under measurement, transmitted from each of the plurality of bio-information
acquiring devices,

an image generating unit configured to generate an image on the basis of
relationships among the bio-information on the plurality of persons under
measurement received by the receiving unit, and

a display unit configured to display the generated image,
wherein the plurality of bio-information acquiring devices and the image display
device are located in different places and connected to each other via a network.

26. (New) An image display device connected, via a network, to a plurality of bio-
information acquiring devices configured to acquire bio-information on each of a plurality of
persons under measurement, the image display device comprising:

a bio-information receiving unit configured to receive the bio-information on the plurality of persons under measurement transmitted from each of the plurality of bio-information acquiring devices;

an image generating unit configured to generate an image on the basis of relationships among the bio-information of the plurality of persons under measurement received by the bio-information receiving unit; and

a displaying unit configured to display the generated image.